



Codes/Standards Applicable

- ANSI Z124.1.2
- CSA B45 Series

Whirlpool Bathtubs:

- UL1795
- ASME A112.19.7
- CSA C22.2 No. 218.2
- CSA B45.10

KEY BENEFITS

Symmetric, deep freestanding bathtub with trendy urban, minimalist style
Crafted with pure lines and simple forms
Innovative, ingenious and comfortable design
Equipped with a revolutionary new filling method and a cascading waterfall

STANDARD FEATURE(S)

White or Biscuit acrylic
Centre drain
Detachable rim with invisible overflow and wall spout
Two symmetric inclined backrests

PLUMBER FEATURE(S)

Freestanding installation (including one-piece apron)


COMMON OPTIONS

Ambiance set
Black minimalist cushion (magnetic)
Drain and overflow
Metal trim kit for electronic control for Ambiance set

No plumbing
Semi-plumb
Slate-Gray Minimalist block
Thermo-Acoustic system
Two chromatherapy lights
Urban series faucets
White Marble minimalist block
White minimalist cushion (magnetic)

Colors

Standard Acrylic Colors



Colors shown are for reference purposes only and are subject to change without notice. Exact matches are not possible with your monitor display or printing method used.

Model Specifications, Options and Accessories

✓	No	Model	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	102611-000	BATHTUB	72 X 42 X 24	156	53
Water Capacity: Minimum: 40 gal. Maximum: 109 gal.					

Common Options

No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)	
<input type="checkbox"/>	OPT 10054	Two chromatherapy lights (factory installed)	2 3/8	2.5	N/A
<input type="checkbox"/>	OPT 10096	Thermo-Acoustic system (minimal installation required)	N/A	6	
<input type="checkbox"/>	OPT 10117-001	White minimalist cushion (magnetic). Please specify quantity 1 or 2 (price per unit) (included in product packaging)			
<input type="checkbox"/>	OPT 10117-015	Black minimalist cushion (magnetic). Please specify quantity 1 or 2 (price per unit) (included in product packaging).			
<input type="checkbox"/>	OPT 10119-084	Metal trim kit for electronic control for Ambiance set (factory installed)		N/A	
<input type="checkbox"/>	OPT 10119-105	Available colors: Chrome (084) and Brushed Nickel (105)			

Faucet


✓	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	OPT 10130-084	Urban series faucets (fully pre-plumbed) (filling mechanism operational) Available colors: Chrome (084) and Brushed Nickel (105)	N/A		
<input type="checkbox"/>	OPT 10130-105				
<input type="checkbox"/>	OPT 10131	Semi-plumb (plumbing fixtures with some assembly required) (filling mechanism operational)			
<input type="checkbox"/>	OPT 19999	No plumbing			

Ambiance

✓	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	OPT 10129-145	Ambiance set (waterfall and two chromotherapy lights) (factory installed) Available colors: Slate-Gray (145) and White Marble (153)			
<input type="checkbox"/>	OPT 10129-153				

Accessories

✓	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	10013029-001	White minimalist cushion (magnetic).	N/A	N/A	N/A
<input type="checkbox"/>	10013029-015	Black minimalist cushion (magnetic) (sold separately)			
<input type="checkbox"/>	10013237-084	Drain and overflow (sold separately)			
<input type="checkbox"/>	10013237-105	Available colors: Chrome (084) and Brushed Nickel (105)			
<input type="checkbox"/>	10013455-145	Slate-Gray minimalist block for cascading waterfall (replacement part) (sold separately)			
<input type="checkbox"/>	10013455-153	White Marble minimalist block for cascading waterfall (replacement part) (sold separately)			



- Ⓐ : Faucet position with waterfall
- Ⓐ : Faucet position without waterfall
- Ⓑ : Faucet position with waterfall
- Ⓑ : Faucet position without waterfall

() : Indicates chromatherapy light positioning

() : Faucet installation area

All dimensions are approximate and subject to change without prior notice.
Please refer to website at www.maax.com before installing unit.

Canada	Alberta British Columbia Manitoba New Brunswick Newfoundland Nova Scotia Northwest Territories Ontario Prince Edward Island Quebec Saskatchewan Yukon Territory
United States	Alabama Alaska Arizona Arkansas California Colorado Connecticut Delaware District of Columbia Florida Georgia Hawaii Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania Rhode Island South Carolina South Dakota Tennessee Texas Utah Vermont Virginia Washington West Virginia Wisconsin Wyoming
International	Jamaica Switzerland Korea China Taiwan Pilipinas Vietnam Malaysia Singapore Egypt Kuwait Dubai Qatar Saudi Arabia Bermuda Turks & Caicos Dominican Republic Panama Costa Rica Guatemala Colombia

Here are the electrical specifications for all MAA[®] Collection bathtub therapeutic systems offered in the United States.

PLEASE NOTE THAT SOME SYSTEMS MAY NOT BE AVAILABLE ON THE PRODUCT YOU HAVE SELECTED.

Please refer to the *Common Options* and *Massage System(s)* sections for more details.

HYDROFEEL	
Pump: Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with these two options: Chromatherapy and Ambiance Set (Urban [®] Water Cascade)	
Heater: Requires a dedicated circuit protected by a Class A GFCI.	
Pump	1.5HP / 120V / 12.5A / 60Hz
REST [™] Pump Option	1HP / 120V / 9.4A / 60Hz
Heater	1500W / 120V / 12.5A / 60Hz

HYDROMAX	
Pump: Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with Chromatherapy (option).	
Pump 2 (for large bathtubs): Requires a dedicated circuit protected by a Class A GFCI.	
Heater: Requires a dedicated circuit protected by a Class A GFCI.	
Pump	1.5HP / 120V / 12.5A / 60Hz
REST [™] Pump Option	1HP / 120V / 9.4A / 60Hz
Heater	1500W / 120V / 12.5A / 60Hz

AEROFEEL	
Blower: Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with these two options: Chromatherapy and Ambiance Set (Urban [®] Water Cascade).	
Blower	1.4HP / 120V / 9.5A / 60Hz

COMBINED HYDROFEEL / AEROFEEL	
Blower: Requires a dedicated circuit protected by a Class A GFCI.	
Pump: Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with these two options: Chromatherapy and Ambiance Set (Urban [®] Water Cascade).	
Heater: Requires a dedicated circuit protected by a Class A GFCI.	
Blower	1.4HP / 120V / 9.5A / 60Hz
Pump	1.5HP / 120V / 12.5A / 60Hz
REST [™] Pump Option	1HP / 120V / 9.4A / 60Hz
Heater	1500W / 120V / 12.5A / 60Hz

COMBINED HYDROMAX / AEROFEEL	
Blower: Requires a dedicated circuit protected by a Class A GFCI.	
Pump: Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with Chromatherapy (option).	
Pump 2 (for large bathtubs): Requires a dedicated circuit protected by a Class A GFCI.	
Heater: Requires a dedicated circuit protected by a Class A GFCI.	
Blower	1.4HP / 120V / 9.5A / 60Hz
Pump	1.5HP / 120V / 12.5A / 60Hz
REST [™] Pump Option	1HP / 120V / 9.4A / 60Hz
Heater	1500W / 120V / 12.5A / 60Hz

CHROMATHERAPY	
Requires a dedicated circuit protected by a Class A GFCI.	

AMBIANCE SET (URBAN [®] WATER CASCADE)	
Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with Chromatherapy (option).	

Installation Note

Install this product according to the *Installation Guide*.

All electrical wiring must be done per national/local electrical codes.