

### Codes/Standards Applicable

- ANSI Z124.1.2
- CSA B45 Series

### Whirlpool Bathtubs:

- UL1795
- ASME A112.19.7
- CSA C22.2 No. 218.2
- CSA B45.10

### KEY BENEFITS

Trendy symmetric bathtub with a urban, minimalist style  
Crafted with pure lines and simple forms  
Innovative, ingenious and comfortable design  
Equipped with a revolutionary new filling method and a cascading waterfall

### STANDARD FEATURE(S)

White or Biscuit acrylic  
Centre drain  
Detachable rim with invisible overflow and wall spout  
Two symmetric inclined backrests

### PLUMBER FEATURE(S)

Podium installation

### COMMON OPTIONS

ABS trim kit for whirlpool and combined systems  
Ambiance set with massage systems  
Ambiance set without massage system  
Black minimalist cushion (magnetic)  
Drain and overflow


Flexible main hose 15 ft for electronic control  
Metal trim kit for Aerofeel or Ambiance set without massage system  
No plumbing  
[Ozonator for whirlpool system](#)  
Semi-plumb  
Slate-Gray Minimalist block  
Thermo-Acoustic system  
Two chromatherapy lights  
Urban series faucets  
Water heater assembly  
White Marble minimalist block  
White minimalist cushion (magnetic)

### MASSAGE SYSTEM(S)

[Aerofeel](#)  
[Combined Hydrofeel and Aerofeel](#)  
[Hydrofeel](#)  
[Hydrofeel Rest™](#)

## Colors

### Standard Acrylic Colors



Colors shown are for reference purposes only and are subject to change without notice. Exact matches are not possible with your monitor display or printing method used.

## Model Specifications, Options and Accessories

<input checked="" type="checkbox"/>	No	Model	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	102610-000	BATHTUB	72 X 42 X 24	109	53
Water Capacity: Minimum: 40 gal. Maximum: 109 gal.					

### Whirlpool Systems

<input checked="" type="checkbox"/>	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	102610-054	HYDROFEEL	72 X 42 X 24	144	53
<input type="checkbox"/>	OPT 20141	HYDROFEEL REST™	N/A	N/A	N/A

### Air System

<input checked="" type="checkbox"/>	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	102610-055	AEROFEEL	72 X 42 X 24	134	53

### Combined Systems

<input checked="" type="checkbox"/>	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	102610-056	COMBINED HYDROFEEL AND AEROFEEL	72 X 42 X 24	169	53
<input type="checkbox"/>	OPT 20141	HYDROFEEL REST™	N/A	N/A	N/A

### Common Options

✓	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	OPT 10054	Two chromatherapy lights (factory installed)	2 3/8	2.5	N/A
<input type="checkbox"/>	OPT 10096	Thermo-Acoustic system (minimal installation required)	N/A	6	
<input type="checkbox"/>	OPT 10117-001	White minimalist cushion (magnetic). Please specify quantity 1 or 2 (price per unit) (included in product packaging)			
<input type="checkbox"/>	OPT 10117-015	Black minimalist cushion (magnetic). Please specify quantity 1 or 2 (price per unit) (included in product packaging).			

### Whirlpool Options

✓	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	OPT 10095	Water heater assembly (factory installed)	9 X 5 X 3	2	N/A
<input type="checkbox"/>	OPT 10118-084	ABS trim kit for whirlpool and combined systems (factory installed)	N/A	N/A	
<input type="checkbox"/>	OPT 10118-105	Available colors: Chrome (084) and Brushed Nickel (105)			
<input type="checkbox"/>	OPT 20139	Ozonator for whirlpool system (factory-installed)			

## Air System Options

<input checked="" type="checkbox"/>	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	OPT 10119-084	Metal trim kit for Aerofeel or Ambiance set without massage system electronic control (factory installed)	N/A	N/A	N/A
<input type="checkbox"/>	OPT 10119-105	Available colors: Chrome (084) and Brushed Nickel (105)			

## Faucet


<input checked="" type="checkbox"/>	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	OPT 10130-084	Urban series faucets (fully pre-plumbed) (filling mechanism operational)	N/A		
<input type="checkbox"/>	OPT 10130-105	Available colors: Chrome (084) and Brushed Nickel (105)			
<input type="checkbox"/>	OPT 10131	Semi-plumb (plumbing fixtures with some assembly required) (filling mechanism operational)			
<input type="checkbox"/>	OPT 19999	No plumbing			

## Ambiance

<input checked="" type="checkbox"/>	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	OPT 10128-145	Ambiance set (waterfall and two chromatherapy light) with massage systems (Hydrofeel, Aerofeel or combo) (factory installed)			
<input type="checkbox"/>	OPT 10128-153	Available colors: Slate-Gray (145) and White Marble (153)			
<input type="checkbox"/>	OPT 10129-145	Ambiance set without massage system (waterfall, chromatherapy lights and electronic control) (factory installed)			
<input type="checkbox"/>	OPT 10129-153	Available colors: Slate-Grey (145) and White Marble (153)			

## Accessories

<input checked="" type="checkbox"/>	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
<input type="checkbox"/>	10013029-001	White minimalist cushion (magnetic).	N/A	N/A	N/A
<input type="checkbox"/>	10013029-015	Black minimalist cushion (magnetic) (sold separately)			
<input type="checkbox"/>	10013237-084	Drain and overflow (sold separately)			
<input type="checkbox"/>	10013237-105	Available colors: Chrome (084) and Brushed Nickel (105)			
<input type="checkbox"/>	10013455-145	Slate-Gray minimalist block for cascading waterfall (replacement part) (sold separately)			
<input type="checkbox"/>	10013455-153	White Marble minimalist block for cascading waterfall (replacement part) (sold separately)			
<input type="checkbox"/>	10019708	Flexible Main Hose (15-ft. extension) for Electronic Control Air Massage - Kit (sold separately)		2.5	0.89



- ( ▲ ) : Indicates Hydrofeel whirlpool jets positioning  
 ( • ) : Indicates Aerofeel airjets positioning  
 ( △ ) : Indicates suction positioning  
 ( ▽ ) : Indicates optional chromatherapy light positioning  
 ( ▢ ) : Faucet installation area

- A : Faucet position with waterfall  
 A : Faucet position without waterfall  
 B : Faucet position with waterfall  
 B : Faucet position without waterfall  
 C : Specify blower and/or pump position when ordering  
 D : Specify blower and/or pump position when ordering

Note: Backjets on same side as blower

All dimensions are approximate and subject to change without prior notice.  
 Please refer to website at [www.maax.com](http://www.maax.com) before installing unit.

Bathtub base includes anti-vibration Neutra-Phone<sup>™</sup> leg supports (not shown).

<b>Canada</b>	Alberta British Columbia Manitoba New Brunswick Newfoundland Nova Scotia Northwest Territories Ontario Prince Edward Island Quebec Saskatchewan Yukon Territory
<b>United States</b>	Alabama Alaska Arizona Arkansas California Colorado Connecticut Delaware District of Columbia Florida Georgia Hawaii Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania Rhode Island South Carolina South Dakota Tennessee Texas Utah Vermont Virginia Washington West Virginia Wisconsin Wyoming
<b>International</b>	Jamaica Switzerland Korea China Taiwan Pilipinas Vietnam Malaysia Singapore Egypt Kuwait Dubai Qatar Saudi Arabia Bermuda Turks & Caicos Dominican Republic Panama Costa Rica Guatemala Colombia

Here are the electrical specifications for all MAA<sup>X</sup> Collection bathtub therapeutic systems offered in the United States.

**PLEASE NOTE THAT SOME SYSTEMS MAY NOT BE AVAILABLE ON THE PRODUCT YOU HAVE SELECTED.**

Please refer to the *Common Options* and *Massage System(s)* sections for more details.

HYDROFEEL	
<b>Pump:</b> Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with these two options: Chromatherapy and Ambiance Set (Urban <sup>®</sup> Water Cascade).	
<b>Heater:</b> Requires a dedicated circuit protected by a Class A GFCI.	
Pump	1.5HP / 120V / 12.5A / 60Hz
REST <sup>™</sup> Pump Option	1HP / 120V / 9.4A / 60Hz
Heater	1500W / 120V / 12.5A / 60Hz

HYDROMAX	
<b>Pump:</b> Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with Chromatherapy (option).	
<b>Pump 2 (for large bathtubs):</b> Requires a dedicated circuit protected by a Class A GFCI.	
<b>Heater:</b> Requires a dedicated circuit protected by a Class A GFCI.	
Pump	1.5HP / 120V / 12.5A / 60Hz
REST <sup>™</sup> Pump Option	1HP / 120V / 9.4A / 60Hz
Heater	1500W / 120V / 12.5A / 60Hz

AEROFEEL	
<b>Blower:</b> Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with these two options: Chromatherapy and Ambiance Set (Urban <sup>®</sup> Water Cascade).	
Blower	1.4HP / 120V / 9.5A / 60Hz

COMBINED HYDROFEEL / AEROFEEL	
<b>Blower:</b> Requires a dedicated circuit protected by a Class A GFCI.	
<b>Pump:</b> Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with these two options: Chromatherapy and Ambiance Set (Urban <sup>®</sup> Water Cascade).	
<b>Heater:</b> Requires a dedicated circuit protected by a Class A GFCI.	
Blower	1.4HP / 120V / 9.5A / 60Hz
Pump	1.5HP / 120V / 12.5A / 60Hz
REST <sup>™</sup> Pump Option	1HP / 120V / 9.4A / 60Hz
Heater	1500W / 120V / 12.5A / 60Hz

COMBINED HYDROMAX / AEROFEEL	
<b>Blower:</b> Requires a dedicated circuit protected by a Class A GFCI.	
<b>Pump:</b> Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with Chromatherapy (option).	
<b>Pump 2 (for large bathtubs):</b> Requires a dedicated circuit protected by a Class A GFCI.	
<b>Heater:</b> Requires a dedicated circuit protected by a Class A GFCI.	
Blower	1.4HP / 120V / 9.5A / 60Hz
Pump	1.5HP / 120V / 12.5A / 60Hz
REST <sup>™</sup> Pump Option	1HP / 120V / 9.4A / 60Hz
Heater	1500W / 120V / 12.5A / 60Hz

CHROMATHERAPY	
Requires a dedicated circuit protected by a Class A GFCI.	

AMBIANCE SET (URBAN <sup>®</sup> WATER CASCADE)	
Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with Chromatherapy (option).	

#### Installation Note

Install this product according to the *Installation Guide*.

All electrical wiring must be done per national/local electrical codes.