

Urban^R 6032



Codes/Standards Applicable

- ANSI Z124.1.2
- CSA B45 Series

Whirlpool Bathtubs:

- UL1795
- ASME A112.19.7
- CSA C22.2 No. 218.2
- CSA B45.10

KEY BENEFITS

Trendy bathtub with a urban, minimalist style Crafted with pure lines and simple forms Innovatrice, ingenious and comfortable design

STANDARD FEATURE(S)

White or Biscuit acrylic Inclined backrest

PLUMBER FEATURE(S)

Drop-in installation No apron available

COMMON OPTIONS

ABS trim kit for whirlpool and combined systems

Black minimalist cushion (magnetic)

Drain and overflow

Flexible main hose 15 ft for electronic control

Metal trim kit for Aerofeel

One chromatherapy light

Ozonator for whirlpool system

Thermo-Acoustic system

Waste and overflow

Water heater assembly
White minimalist cushion (magnetic)

MASSAGE SYSTEM(S)

<u>Aerofeel</u>

<u>Combined Hydrofeel and Aerofeel</u> <u>Hydrofeel</u>

Hydrofeel RestTM

Colors

Standa	rd Acry	lic Colors
White 001	Biscuit (Silk/Linen) 007	

Colors shown are for reference purposes only and are subject to change without notice. Exact matches are not possible with your monitor display or printing method used.

Model Specifications, Options and Accessories

1	No	Model	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
	102608-000	BATHTUB	60 X 32 X 23 3/8	73	29
	Water Capacity: Minimum: 32 gal. Maximum: 60 gal.				

Whirlpool Systems

1	No	Description	Dimensions in. (mm)	Approx. Weight Ib (kg)	PKG ft3 (m3)
	102608-054	HYDROFEEL	60 X 32 X 23 3/8	108	29
	OPT 20141	HYDROFEEL REST [™]	N/A	N/A	N/A

Air System

1	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
	102608-055	AEROFEEL	60 X 32 X 23 3/8	98	29

Combined Systems

1	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
	102608-056	COMBINED HYDROFEEL AND AEROFEEL	60 X 32 X 23 3/8	133	29
	OPT 20141	HYDROFEEL REST TM	N/A	N/A	N/A

Common Options

1	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
	OPT 10053	One chromatherapy light (factory installed)	2 3/8	2.5	
	OPT 10096	Thermo-Acoustic system (minimal installation required)			
	OPT 10117-001	White minimalist cushion (magnetic). Please specify quantity 1 or 2 (price per unit) (included in product packaging)		6	
	OPT 10117-015	Black minimalist cushion (magnetic). Please specify quantity 1 or 2 (price per unit) (included in product packaging).			
	OPT 20140-001		N/A		N/A
	OPT 20140-004		IN/A		
	OPT 20140-007	Waste and overflow (included in product packaging) Available colors: White (001), Bone (004), Biscuit (007), Chrome (084),		N/A	
	OPT 20140-084	Polished Brass (085) and Brushed Nickel (105)		N/A	
	OPT 20140-085				
	OPT 20140-105				

Whirlpool Options


1	No	Description	Dimensions in. (mm)	Approx. Weight Ib (kg)	PKG ft3 (m3)
	OPT 10095	Water heater assembly (factory installed)	9 X 5 X 3	2	
	OPT 10118-084	ABS trim kit for whirlpool and combined systems (factory installed)			N1/0
	OPT 10118-105	Available colors: Chrome (084) and Brushed Nickel (105)	N/A	N/A	N/A
	OPT 20139	Ozonator for whirlpool system (factory-installed)			


Air System Options

1	No	Description	Dimensions in. (mm)	Approx. Weight Ib (kg)	PKG ft3 (m3)
	OPT 10119-084	Metal trim kit for Aerofeel electronic control only (factory installed)	NI/A	4.5	N1/A
	OPT 10119-105	Available colors: Chrome (084) and Brushed Nickel (105)	N/A	1.5	N/A

Accessories

1	No	Description	Dimensions in. (mm)	Approx. Weight lb (kg)	PKG ft3 (m3)
	10013029-001	White minimalist cushion (magnetic).			
	10013029-015	Black minimalist cushion (magnetic) (sold separately)		N/A	N/A
	10013237-084	Drain and overflow (sold separately)		IN/A	IN/A
	10013237-105	Available colors: Chrome (084) and Brushed Nickel (105)			
	10019708	Flexible Main Hose (15-ft. extension) for Electronic Control Air Massage - Kit (sold separately)		2.5	0.89
	10025081-001		N/A		
	10025081-004				
	10025081-007	Waste and overflow Available colors: White (001), Bone (004), Biscuit (007), Chrome (084),		N/A	N/A
	10025081-084	Polished Brass (085) and Brushed Nickel (105)		IN/A	IN/A
	10025081-085	, ,			
	10025081-105				





(▲): Indicates Hydrofeel whirlpool jet positioning

): Indicates Aerofeel airjet positioning

(\triangle): Indicates suction positioning

All dimensions are approximate and subject to change without prior notice. Please refer to website at www.maax.com before installing unit.

Bathtub base includes anti-vibration Neutra-Phone $^{\!\scriptscriptstyle \mathrm{TM}}$ leg supports (not shown).

Canada

Alberta British Columbia Manitoba New Brunswick Newfoundland Nova Scotia Northwest Territories Ontario Prince Edward Island Quebec Saskatchewan Yukon Territory Alabama Alaska Arizona Arkansas California Colorado Connecticut Delaware District of Columbia Florida Georgia Hawaii Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North

United States

Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania Rhode Island South Carolina South Dakota Tennessee Texas Utah Vermont Virginia Washington West Virginia Wisconsin Wyoming

Jamaira Switzerland Korea China Taiwan Pilipinas Vietnam Malaysia Singapore Foyot Kuwait Duhai Oatar Saudi Arabia Bermuda Turks & Caicos Dominican Republic

Here are the electrical specifications for all MAAX Collection bathtub therapeutic systems offered in the United States.

PLEASE NOTE THAT SOME SYSTEMS MAY NOT BE AVAILABLE ON THE PRODUCT YOU HAVE SELECTED.

Please refer to the Common Options and Massage System(s) sections for more details.

HYDROFEEL	HYDROFEEL		
Pump: Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with these two options: Chromatherapy and Ambiance Set (Urban® Water Cascade)			
Heater: Requires a dedicat	Heater: Requires a dedicated circuit protected by a Class A GFCI.		
Pump	1.5HP / 120V / 12.5A / 60Hz		
REST TM Pump Option	1HP / 120V / 9.4A / 60Hz		
Heater	1500W / 120V / 12.5A / 60Hz		

HYDROMAX	HYDROMAX		
Pump: Requires a dedic Chromatherapy (option).	Pump: Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with Chromatherapy (option).		
Pump 2 (for large bath	Pump 2 (for large bathtubs): Requires a dedicated circuit protected by a Class A GFCI.		
Heater: Requires a dedi	cated circuit protected by a Class A GFCI.		
Pump	1.5HP / 120V / 12.5A / 60Hz		
REST TM Pump Option	1HP / 120V / 9.4A / 60Hz		
Heater	1500W / 120V / 12.5A / 60Hz		

AEROFEEL			
	Blower: Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with these two options: Chromatherapy and Ambiance Set (Urban® Water Cascade).		
Blower 1.4HP / 120V / 9.5A / 60Hz			

COMBINED HYDROFEEL / AEROFEEL		
Blower: Requires a dedicated circuit protected by a Class A GFCI.		
Pump: Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with these two options: Chromatherapy and Ambiance Set (Urban® Water Cascade).		
Heater: Requires a dedicated circuit protected by a Class A GFCI.		
Blower	1.4HP / 120V / 9.5A / 60Hz	
Pump	1.5HP / 120V / 12.5A / 60Hz	
REST TM Pump Option	1HP / 120V / 9.4A / 60Hz	
Heater	1500W / 120V / 12.5A / 60Hz	

COMBINED HYDROMAX / AEROFEEL		
Blower: Requires a dedicated circuit protected by a Class A GFCI.		
Pump: Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with Chromatherapy (option).		
Pump 2 (for large bathtubs): Requires a dedicated circuit protected by a Class A GFCI.		
Heater: Requires a dedicated circuit protected by a Class A GFCI.		
Blower	1.4HP / 120V / 9.5A / 60Hz	
Pump	1.5HP / 120V / 12.5A / 60Hz	
REST TM Pump Option	1HP / 120V / 9.4A / 60Hz	
Heater	1500W / 120V / 12.5A / 60Hz	

CHROMATHERAPY
Requires a dedicated circuit protected by a Class A GFCI.

AMBIANCE SET (URBAN® WATER CASCADE)

Requires a dedicated circuit protected by a Class A GFCI. This circuit can be shared with Chromatherapy (option).

Installation Note

Install this product according to the Installation Guide.

All electrical wiring must be done per national/local electrical codes.